

TA Triumph-Adler

The Document Business

CONSULTING REALISATION EFFICIENCY

CLP 4532

Print

CLP 4532



Colour Printer

TA Triumph-Adler

The Document Business

CONSULTING REALISATION EFFICIENCY

The mark of a perfect job.

The CLP 4532 will bowl you over with its brilliant output in A4 and A3 for all office documents and will ensure that everything you print looks perfect – reliably and efficiently. And it does all this at great speed, giving you 32 A4 pages a minute in b/w and colour. You will already be holding the first colour page after just 7.9 seconds.

A great number of finishing options is also available, for major print jobs as well, and you'll quickly come to appreciate the permanently lower operating costs.

At its heart is a very clever logic.

Whether it is a staff newsletter, presentation booklet, flyer or handout, the CLP 4532 always delivers perfect results thanks to precise colour matching, multi-bit technology and an innovative development system. Plus, the integrated network card gives whole departments access to outstanding image quality with especially fine colour transitions. When handling larger printing and data volumes, the super-fast 800 MHz PowerPC 750GL CPU with 256 MB RAM (expandable to 1,024 MB RAM) ensures fast processing. The duplex unit for double-sided printing makes even major jobs easy to handle.

CLP 4532



The extensible paper feed can take up to 4,100 sheets and there are no limits to a host of finishing options for internal processing such as punching, stapling, a brochure module and a multi tray. As an intelligent add-on, the optional 40 GB hard disk gives you fast printouts from memory, private printing with password protection and use of virtual mailboxes.

High output at a glance:

- Best image quality always thanks to innovative development system
- Top speed: 32 A4 pages a minute in b/w and colour
- Low waiting times for first page: b/w after 5.9 seconds, colour after 7.9 seconds
- Warm-up time of just 45 seconds
- Paper sizes from A6R to A3
- RAM up to 1,024 MB*
- Easy expansion of paper capacity up to 4,100 sheets*
- Duplex unit for double-sided printing as standard
- Security watermark to protect original documents
- 40 GB hard disk* enables a host of job functions

Standard features:

CLP 4532 with 2 x 500 sheet universal cassettes and duplex unit

- 1 User-friendly control panel
- 2 Option of 2 x 500 sheet universal cassettes*, 3,000 sheet large capacity cassette* or a cabinet*
- 3 3,000 sheet finisher*, staples up to 50 sheets or: 1,000 sheet finisher*, staples up to 30 sheets
- 4 Hole punch* for the 3,000 sheet finisher
- 5 Brochure folding module* for the 3,000 sheet finisher (saddle stitching and folding)
- 6 Multi tray* for the 3,000 sheet finisher, seven output trays each holding 100/50 sheets of A4/A3
- 7 40 GB hard disk* and RAM up to max. 1,024 MB*
- 8 Data Security Kit*

*option

CLP 4532





Technical data

General

Type	Desktop
Function	Print
Print technology	Laser colour and b/w
Print format	A3-A6R, max 297 x 432 mm, min 99 x 147 mm
Print speed	max 32 A4 pages/min in colour and b/w, max 16 A3 pages/min in colour and b/w
1st copy/warm-up time	Colour: 7.9 seconds*, b/w: 5.9 seconds*/45 seconds
Print resolution	600 x 600 dpi
Paper feed	2 x 500 sheet universal cassette (A3-A5R), 100 sheet multi-bypass (A3-A6R)
Paper weights	Universal cassette 60-105 g/m ² , multi-bypass 60-220 g/m ² , duplex 60-105 g/m ²
Paper output	500 sheet A4 face down
Processor	PowerPC 750GL/800 MHz
Print memory	256 MB RAM (max 1,024 MB RAM - 2 slots)
Interface	IEEE 1284 parallel, USB 2.0, 10/100BaseTX
Network protocols	TCP/IP, IPX/SPX, Net BEUI, EtherTalk
Operating systems	Windows 2000, XP, Server 2003, Novell NetWare, Linux, Mac ex OS 9.2
Emulations	PCL6, KPDL 3 (PostScript 3 compatible), PRESCRIBE IIc, KCGL
Functions	Duplex, 100 management codes, barcode printing, PDF direct printing, private printing

Dimensions/weight

Dimensions	597 x 605 x 660 mm (H x W x D)
Weight	approx. 80 kg

Environment

Mains voltage	220/240 V, 50/60 Hz
Power consumption	approx. 1,400 W max, approx. 840 W in operation, approx. 210 W in stand-by mode, approx. 15 W in sleep mode
Noise level	approx. 53.7 dB(A) in operation, 43.8 dB(A) in stand-by mode
Certifications	GS/TÜV, CE

*Depending on operating status.

Consumables

Toner kit	Toner kit black for 15,000 A4 pages with 5% page coverage, starter kit black for 7,500 A4 pages with 5% page coverage Toner kit cyan, magenta, yellow, each for 7,000 A4 pages with 5% page coverage, starter kit cyan, magenta, yellow, each for 3,500 A4 pages with 5% page coverage
-----------	--

Options

Paper feed	PF-710 (2 x 500 sheet universal cassettes (A3-A5R)), PF-750 (3,000 sheet large capacity cassette (A4/B5))
Finisher	DF-730 (capacity: 1,000 sheet A4, stapling max 30 sheet A4), DF-710 (capacity: 3,000 sheet A4, stapling max 50 sheet A4), PH-5C hole punch unit for DF-710, BF-710 brochure folding module for DF-710 (max 16 sheet saddle stitching and folding A3/A4/B4), MT-710 multi tray for DF-710
Others	Data security kit (D), HD-5 hard disk (40 GB), cabinet no. 50

The CLP 3532 is manufactured in accordance with the requirements of the ENERGY STAR Program.

Specifications subject to change without notice.

Image shows machine with optional accessories.

At TA Triumph-Adler we have set ourselves the aim of making the everyday processing of documents as efficient as possible for you. The technical perfection of our products combined with preliminary consultation and finally on-site aftersales support guarantee you the problemfree, productive operation of our equipment. Thanks to this range of service we are able to offer you the best possible solutions.

TA Triumph-Adler and the TA Triumph-Adler Logo are registered trademarks of TA Triumph-Adler AG. All other brand names are registered trademarks of their respective owners.

TA Triumph-Adler